

SUDAN, 1913-4

- VOL. ii -

Feb. 2, 1914
OFF "KHOR ATTAR"

VOL. II

0646



AUG. WALKER,
118, NEW BOND ST. W

1928


Subjects on pp 8-9

VULTURES @ p. 8

Bush-Cuckoo " - 10

Nest of Weaver

Ornate Woodpecker




Always come up on catching a
 fish - but ONLY head & neck - so as
 to dispose of head first - but when
 well fed, land on reeds
 & play with prey -
 then chuckle !!

X


1
TOO MUCH
(see sp. infra)



DARTERS on ANTHILL
Sobal river, Feb. 1



PELICANS IN TREE
Sobal, Feb. 1



X

MS


1823

B

v. 3

SCNHRB

DSI



2
X


WHISTLING TEAL

Feb 2
See about 20 pp. later
(BETTER)




X

CULEBRERO




X

BETTER
IN SMALL





CATFISH
45 lbs. Feb. 19



Grey
 as at dark




ZEBRA
"harm"



ORIBI

"WILD IN HIS WOODS, THE NAKED SAVAGE RAN"





SHILLONS SPEARING WOUNDED WATER BUCK

Khay Saka - Febry. 1, 1914

X

ZERAF
Feb. 3.

5



COMING TO WATER — (Sundown)
— Ostrich beyond —





Pale fawn all over —
no red-front — lateral
stripe low down + thin
— 2nd Feb 4







6



3009


FACING

(Least vibration
FATAL)

BROADSIDE

(ROOM for SLIGHT
vibration.)

GAME GOLF APPEARS THRO TELESCOPE-SIGHT.




X

Lynes' Kudu
Giraffe
(Zwart)

17

Feb 6
DARTER
SUNNING


X



X

PROTECTION?
HOW?


Feb 8



GOLIATH


8

X



Link-up

XX



ARRIVES

XX



② PERCIES
(Diphyscus
Neophanus
etc.)



←
DONE June 1926
K

9




Wastura Agillita, Feb. 11

Got bustard
Feb 12




X

QUILLS SHEW
OPEN
(SEE 3/p.
infra)



NECK OF
DARTER, SKINNED
but flesh still on bones.

"DUST DEVIL"
Feb. 16




WHITE
EAR RING

SHILLOCK
Hair plastered
with clay.



Feb 17
"culling up hippo"






DARTER
on wing.

(Flies so near water, often touches
surface with its quills.)



Hubara (like Marabout, Solitaire,
Fall big long-legs)
sit squatting on
back of their knees
(as in A.)



12

X

Big Bustard
17 lbs.
Feb 21



- 2nd larger than 1st
head and tail

X

BETTER
previous page




Throat &
neck much
swollen

Feb 19

DANGER

13




X

NOT DEAD YET - EITHER OF EM !

Underside }
Tail }

Feathering }
curving }
upwards }



(14)

PURE BLACK &
WHITE - not one
chestnut hair on
him (sketched
at 40 yds.)



X

Curry

LAKE NO, Feb. 23

Long to skin



X

"
OPENBILL
LAKE NO
Feb. 24


Hackle like plumes on back &
wing-coverts Chestnut-brown, finely
off-set by the deep bronze green beneath.

15




X

GOT 'IM



X

HAGEDASH



X

NVER HOT
in "deserted
village", Feb. 16
DOORWAY
plastered
round with
clay. See
2 pp.

Door twice or thrice, Too BIG

w/ra





Cord binding

Hippohide rope

Binding

Hippohide rope

(10)

X

Detaching shaft


lead to
wh. in a
bundled
ambolch

X

[SEE DIARY - II, p-22]

"sharp razor"







127

TETEL
SENTIRY

Feb. 27th



X

NUER HUTS of Spear-grass
in "deserted village" (Feb. 16)



X






X

No. 1

POSITIONS OF BUFFALO
(& BULLETS)



X

No. 2

Feb. 19



X

"GYEK"



x

X



HYENA - Feb. 19




Too High

"SADDLEBACK"
Feb. 6th



0.14 FOREST EXTENDS MILES EASTWARD ^{2500 feet}
FRINGE OF PAPHYRUS

COURSE OF FELUCA



"CANDACE", 45 KILOS W. OF TONGA

Goliath Heron
 Pouch so full
 cant close beak

Mar 3


X




JABRU



white



X




W.F. TEAL
 Mar 10

X

Sparrow
 29 malling





Red petals - black spikes - (Mar 16)

Sunbird-like
acrobat
Tits



IN GARDEN
KH.



Omdurman
" Field of - near 16

" Field of - near 16






Leg very thin
nose very long

ARIEL



All legs, yet not "leggy"



all back



CORVUS
AFFINIS



FROM
land bird →



Enkourt
apl!



x



x



x



x



{ DONE
June 5, 1926
x


Birds drawn
too big in proportion
to nest.

Hyphantornis gallinula
nest + young - April 3rd
(another nest with 2 eggs, Apr. 4th -)

Grass-nest, with stronger
binding - bands distinctly
showing lighter - one leaf
at A - + small leafy
branch projecting from
→ B. Entrance at C.









x


Egyptian
Goose

AT HOUGHTY !!!

May 20, 1914



White
Two white
Swallow




Blue
Blade



Spotted

MIRAFRA



x


ASIATIC
DOTTEREL



x


MICROPARRA

x




2 NDS
EDGED
WHITE

x




CERTHILAUDA





Horn

bare
hard
stem








all
horn

MARSH BUCK
(*Pinnobagrus*)

BUSH BUCK
(*Tragelaphus*)

Feldt, Mar. 6/15







See 10 pp.
signa




X




SPILOPTERÆ







nose rather
narrow
"lumpy"
HENCE
The black of
face (on a pale animal)
accentuates this thickness



Thick
here


SEE NEXT PAGE

Oriel does seem to have a heavy head - heavy for size of body - neck are average length (far less than Addra) - when standing "four square" the quarters are higher than withers - a fairly pronounced "hump" on latter with a dip between it & neck. Legs V. thin

NB - Addra also has heavy head

Little Stunt, K.H. Mus.

Adult? Summer-plumage 27 May.



UMBRINUS



Erkoub
Mar 30

"*Cobus unctuosus*" is West Africa
occiput (Gambia to)

Even on back of neck hair stands
upright - forming a sort of ^{continuous} mane
across the breadth of nape & neck

white band
on fetlock



LIE OF HAIR

IN SUDAN

You can't tell land from water

